



## Cal. 949 - Cal. 942



7151



## Cal. 949

Mouvement échappement ancre  
44,8×49,5 mm.  
8 jours (230 heures)  
Sonnerie réveil  
Remontage 1 clef

★

Movimiento escape áncora  
44,8×49,5 mm.  
8 dias (230 horas)  
Soneria despertador  
Remontaje con una llave

★

Movimento scappamento àncora  
44,8×49,5 mm.  
8 giorni (230 ore)  
Suoneria sveglia  
Carica con una chiave

★ ★

Movement with lever escapement  
44,8×49,5 mm.  
8-day (230 hours)  
Alarm  
1 key winding

★

Werk mit Ankerhemmung  
44,8×49,5 mm.  
8 Tage (230 Stunden)  
Läutwerk  
Einschlüssel Aufzug

★

## Cal. 942 - Ancres à goupilles

Même description que cal. 949  
mais avec échappement ancre à goupilles

★

Misma description que el cal. 949  
con escape áncora a posadores

★

Same description as cal. 949  
but with pin-lever escapement



★

Gleiche Beschreibung wie Kal. 949  
aber mit Stiftankerhemmung


★

La stessa descrizione del cal. 949  
con scappamento àncora a coppiglie


# Cal. 949



## Cal. 942 - Cal. 944 - Ancre à goupilles




Fournitures pour tous calibres \* Materials for all calibers  
 Fornituras para todos los calibres \* Fournituren für alle Kaliber  
 Forniture per tutti i calibri




928




929




7450



928/7493



929



7450/7493

